



09876983 060801
T08090 3869760




Approximated Peano Curve. The space-filling process has not been completed.

Figure 1A (Prior Art)




Boustrophedon Path

Figure 1B (Prior Art)



Archimedes Spiral defined by equally distributed points

Figure 1C (Prior Art)



Spiral-like line-based scanning

Figure 1D (Prior Art)




Figure 2B




Figure 3A




Figure 3B

09876983-060801




Figure 3C






Figure 3D

09876983-060601
T08090" E869/8160




The situation of Lemma 1

Figure 4A




Case (A)

Figure 4B




Case (B)

Figure 4C




Smooth transition between two circles of different radii.

Figure 4D



Smooth transition between two circles of same radius.

Figure 4E




Transition between two unit circles of radius 1. The distance between the circles is $\sqrt{3}$

Figure 4F

108090 " E869/860

0987654321060801



Conformal Spiral.

Figure 6

09876983 060801
T08090" E8692860




Figure 07

09876983 060801
T08090" E8692860





Figure 9



Definition of I_1 , I_2 , and I_3

Figure 10




Figure 11A

Figure 11B

Figure 11C

09876983 060811
T.08090" E8694860




Figure 12A






Figure 12B

098769831.060804
T08090"E869Z860



Beginning of a Low Discrepancy Curve based on a specific Halton Sequence in 2d


Figure 13A



Splined Low Discrepancy Curve coarse search


Figure 13B

09876983 060801
T08090" E8694860



Comparison of Conformal Spiral and Low Discrepancy Searching

Figure 13C



Comparison of Travel Distance for Low Discrepancy Search and Conformal Spiral Search

Figure 13D

09876983 060804
T08090 E8697860






Figure 14

T08090" E8697860




Tiling of the plane and relation to the surface of the unit cube

Figure 15A




Low-discrepancy curve in a ring

Figure 15B




Low Discrepancy Preserving Mapping Function

Figure 15C



Low-discrepancy curve filling the surface of a torus

Figure 15D



Low-discrepancy curve on a sphere
(left) and projections (right)

Figure 16





Figure 17


09876983.060801
T08090"E8697860



Surfaces can be scanned efficiently when the term low discrepancy sequence/ curve can be generalized, e.g. based on metrics on the surface.

Figure 18

09876983 050801




Splined Low Discrepancy Curve coarse search with refined final approach

Figure 19


09876983.060801

Intensity Field Distribution in Search Area




Beam intensity distribution in search area

Figure 20





Location of the Peak



Initial Final Approach Move

Figure 21A

Figure 21B



Error distribution of the estimated peak X coordinate error (left) and Y coordinate error (right)

Figure 21C

09876983 060801




Figure 22

09876983-060801




Figure 23